



# Kensington Wood Collection



## Product Reference & Price Guide

May 5, 2015

Prices subject to change without notice.



## PROGRAM SUMMARY

The finest quality wood blinds available. The classic choice for adding the warmth and beauty of wood to any room.

### WHAT'S INCLUDED:

- n Available in 2" and 2 1/2" slat sizes
- n 3 1/2" Colonial Valance
- n 2 1/2" trapezoid bottomrail for 2 1/2" blinds
- n Offered in a comprehensive color pallet of sixteen colors
- n Traditional routed slats with braided ladders
- n Durable 2"x2" color coordinated steel headrail
- n Premium cord tilt with color coordinated cord and tassels
- n Standard child safety installation kits, safety cord stops and crash proof cord locks.

### BLIND MOTORIZATION- TILT ONLY

- n Control your shades with the touch of a button
- n Perfect for hard-to-reach windows
- n Safer for children and pets — eliminates dangling cords

### FASHION TAPES AND DECORATIVE TRIMS


- n Customize your blinds with Fashion Tapes and Decorative Trims
- n Available in an array of bold colors, as well as subtle and delicate patterns

### ROUTLESS PRIVACY FEATURES

- n Optional on Wood Collection Blinds.  
This feature eliminates cord holes in the slats, preventing annoying "sunspots" and ensuring privacy.

### HARDWARE SYSTEM

- n Heavy duty components for smooth operation, higher load capacity, and enduring performance.
- n High strength resin supports to handle the heaviest loads.
- n Heavy duty steel headrail for durability and corrosion resistance.
- n Crash-proof cordlock to hold slats securely in any position.
- n Top-hinged end bracket cover for easy installation and removal.



PRICE GROUP

**A1**

**2-Inch Traditional Routed Slats  
With Braided Ladder**

LENGTH TO:

Width	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
30"	216	172	195	221	244	265	286	323	378	392	406	490	520	583
36"	244	197	223	246	269	295	318	369	429	448	460	539	580	648
42"	262	218	244	272	297	327	355	415	478	492	520	606	655	731
48"	281	237	265	295	325	360	392	457	525	555	583	671	734	826
54"	306	260	290	323	353	395	429	504	569	617	652	752	810	910
60"	334	286	318	351	383	425	469	552	615	671	710	817	882	989
66"	360	311	344	378	411	457	515	604	675	736	782	891	959	1114
72"	390	339	374	406	441	497	559	655	736	780	829	947	1021	1151
78"	399	351	383	418	453	511	576	673	757	805	887	1010	1093	1228
84"	429	378	413	448	483	548	620	710	771	861	954	1079	1165	1311
90"	457	404	439	476	511	580	655	750	817	917	1010	1135	1242	1397
96"	471	418	455	490	525	606	685	789	870	977	1075	1216	1316	1479
102"	492	439	478	518	557	643	729	838	924	1035	1142	1291	1397	1571
108"	515	460	501	543	585	675	766	882	970	1091	1200	1351	1465	1648
114"	536	480	525	571	617	713	808	926	1024	1147	1267	1425	1541	1734
120"	559	504	550	597	643	745	847	973	1054	1200	1321	1488	1613	1818
126"	578	520	573	627	680	782	889	1014	1121	1260	1388	1560	1685	1906

PRICE GROUP

**A2**

**2-Inch With Optional Routless Privacy Slats  
Cloth Fashion Tapes or Decorative Trims**

LENGTH TO:

Width	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
30"	262	210	239	267	298	324	350	395	463	480	496	600	636	711
36"	298	243	272	300	328	362	390	451	525	548	562	657	709	792
42"	321	267	298	331	364	402	435	508	584	600	636	740	799	893
48"	345	288	324	362	399	440	480	560	640	678	711	820	896	1009
54"	376	319	354	395	432	482	525	617	695	754	796	919	990	1111
60"	409	350	390	430	468	522	572	676	751	820	867	997	1077	1207
66"	440	380	421	461	503	560	629	737	827	898	955	1089	1172	1361
72"	475	416	456	496	539	607	683	801	898	955	1014	1155	1248	1406
78"	489	428	468	513	555	624	704	822	924	985	1082	1236	1335	1500
84"	525	461	503	546	588	669	756	867	943	1054	1165	1319	1425	1602
90"	558	494	539	581	624	709	801	917	997	1120	1233	1387	1517	1708
96"	577	513	555	600	643	740	836	964	1063	1196	1311	1486	1609	1808
102"	600	534	584	633	681	787	891	1026	1129	1267	1396	1576	1706	1921
108"	629	562	612	664	714	825	936	1077	1186	1333	1467	1652	1791	2013
114"	655	586	640	699	754	872	985	1132	1252	1401	1548	1741	1883	2120
120"	685	617	673	730	787	912	1035	1186	1288	1467	1616	1817	1973	2219
126"	704	636	702	766	832	957	1087	1238	1370	1538	1694	1907	2060	2327

Cut-Out (See page 9 for specifications)

Bottomrail Center Cut-Out .....\$45

Bottomrail Right/Left Cut-Out.....\$37 per side

Headrail Right/Left Cut-Out .....\$37 per side

Multiple Blinds on one headrail - Price as individual shades then add together

All sizes to the right of the bold black line must be made on a Two-on-One or Three-on-One headrail.

Motorization: (see page 6 for specifications)

RTS Motor: \$746.00

Remote Control: \$400.00

PRICE GROUP

**B 1**

**2 1/2-Inch Traditional Routed Slats  
With braided ladder**

LENGTH TO:

Width	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
30"	255	203	232	260	286	312	338	383	449	463	480	579	614	688
36"	286	234	262	291	319	350	376	437	506	529	543	636	685	766
42"	312	258	288	319	352	388	421	489	565	581	612	714	773	862
48"	333	279	312	350	385	425	463	541	619	657	688	792	865	976
54"	362	307	343	380	416	465	506	595	671	728	770	888	957	1073
60"	395	338	376	414	454	503	553	652	725	792	839	964	1040	1167
66"	425	366	406	447	487	541	607	711	799	867	924	1051	1134	1314
72"	461	399	440	480	520	586	662	773	870	922	978	1118	1207	1359
78"	473	414	454	494	536	603	681	794	893	952	1047	1193	1290	1448
84"	508	447	487	527	569	647	730	836	910	1018	1125	1274	1378	1548
90"	539	477	520	562	603	685	773	886	964	1082	1193	1340	1467	1649
96"	558	494	536	579	621	714	808	931	1028	1155	1269	1437	1555	1746
102"	581	517	562	612	657	761	860	990	1092	1222	1349	1522	1649	1857
108"	607	543	591	640	690	796	905	1040	1146	1288	1418	1597	1730	1947
114"	633	567	619	676	728	841	952	1094	1210	1354	1496	1685	1822	2046
120"	662	595	650	704	761	881	1000	1148	1245	1418	1560	1758	1907	2146
126"	683	614	678	740	803	924	1049	1198	1323	1486	1637	1843	1992	2249

PRICE GROUP

**B 2**

**2 1/2-Inch with Optional Routless Privacy Slats**

LENGTH TO:

Width	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
30"	305	243	276	312	345	376	406	458	536	555	574	695	737	825
36"	345	281	314	350	383	418	451	525	607	636	652	763	822	919
42"	373	310	347	385	423	465	503	588	678	697	737	858	926	1035
48"	399	336	376	418	461	510	555	650	742	787	825	950	1040	1172
54"	435	369	411	456	501	560	607	716	806	874	924	1066	1148	1288
60"	475	406	451	499	543	605	664	784	872	950	1007	1158	1248	1401
66"	510	440	487	536	584	650	730	855	959	1042	1108	1262	1361	1578
72"	551	482	529	577	624	704	794	929	1042	1106	1174	1340	1448	1630
78"	567	496	543	593	643	723	818	955	1073	1144	1257	1434	1550	1739
84"	610	536	586	633	683	775	877	1007	1094	1222	1352	1531	1654	1860
90"	647	574	624	673	723	822	929	1063	1158	1300	1432	1609	1760	1980
96"	669	593	645	695	744	858	971	1118	1233	1385	1522	1725	1867	2096
102"	697	621	676	735	789	912	1035	1189	1311	1467	1619	1829	1980	2228
108"	730	652	711	770	827	957	1085	1248	1375	1545	1701	1916	2077	2337
114"	758	681	744	810	874	1011	1144	1314	1453	1623	1796	2020	2186	2457
120"	794	714	780	846	912	1059	1200	1378	1496	1701	1874	2108	2287	2576
126"	818	737	813	888	964	1111	1259	1437	1588	1784	1966	2212	2389	2701

Cut-Out (See page 9 for specifications)

Bottomrail Center Cut-Out .....\$45

Bottomrail Right/Left Cut-Out.....\$37 per side

Headrail Right/Left Cut-Out .....\$37 per side

Multiple Blinds on one headrail -Price as individual and add together

All sizes to the right of the bold black line must be made on a Two-on-One or Three-on-One headrail.

Motorization: (see page 6 for specifications)

RTS Heavy Duty Motor: \$746.00

Remote Control: \$400.00

WOOD COLLECTION

SIZE STANDARDS

SINGLE BLINDS

Width	
Minimum net width, braided ladders	6"
Minimum net width, decorative tapes	7½"
Maximum ordered width	
	72"
Height	
Minimum ordered height	12"
Maximum ordered height	126"
Area	
	Sq. Ft.
Maximum Square Feet per Single Blind	50

MULTIPLE BLINDS ON ONE HEADRAIL

Width	
Minimum overall net width, 2 on 1	12¼"
Minimum overall net width, 3 on 1	18½"
Maximum ordered width	
	96"
Height	
Minimum ordered height	12"
Maximum ordered height	126"
Area	
	Sq. Ft.
Maximum number of blinds	3
Space between blinds (routed)	¼"
Space between blinds (routless)	½"

FINISHED DIMENSIONS

Inside Mount Allowance		
Blind width	-½"	
Blind height	±⅛"	
Outside Mount Allowance		
Blind width	As ordered	
Blind height	±⅛"	
Valance Allowance		
	Back	Face
Inside Mount	-⅛"	-⅛"
Outside Mount	+¾"	+1½"
Outside Mount with extension brackets	+1¼"	+2"

MOUNTING REQUIREMENTS

Inside Mount	
Minimum casement depth, bracket attachment	1⅛"
Minimum casement depth, fully recessed with valance	3"
Outside Mount	
Minimum flat mounting surface height	1¾"
Recommended width overlap per side	1½"

CONTROL OPTIONS

Standard: Tilt left (L), cord right (R)
Optional: Tilt (R), Cord (L) Tilt (R), Cord (R) Tilt (L), Cord (L)
Blinds less than 10½" wide (net) will have a center tilt only (no lift cord)
Blinds less than 22½" wide (net) must have split controls (L/R or R/L)
Multiple blinds on one headrail may be ordered with a single tilt control for all blinds, if desired

LADDER COUNT

Ladder Quantity	Blind Width
2 each	to 34" wide
3 each	34⅛" to 56" wide
4 each	56⅛" to 78" wide
5 each	78⅛" to 96" wide

VALANCE RETURN LENGTHS

	Back	Face
No extension bracket	2⅝"	3"

STACKING HEIGHTS (APPROX.) Includes headrail and bottom rail.

Blind Height:	36"	48"	60"	72"	84"	96"	120"
Braided ladders	5⅝"	6⅝"	7½"	8½"	9½"	10½"	12⅜"
Cloth tapes	6¼"	7⅝"	8⅝"	10⅝"	11½"	12¾"	15⅝"
Decorative trims	7¾"	9½"	11¼"	13"	14¾"	16½"	20"


A NOTE ABOUT WOOD PRODUCTS...

Our wood blinds are true wood products, made from 100% kiln-dried basswood. There will be variations in color, grain, texture and stability that are characteristic of all woods. These variations will be especially visible in blinds with light color stains. The variations are normal and natural, and conform to industry standards. Additionally, due to the improved closure of blinds with routless privacy feature, slight bowing may become more noticeable when the slats are closed.

**SPECIFICATIONS ~ RTS MOTORIZATION**

**FEATURES AND BENEFITS**

- n Top of the line battery powered heavy duty motor, capable of tilting blinds up to 30 pounds.
- n Internal brake holds blind in place.
- n Provides tight slat closure to eliminate light gap, with no roll back.
- n Limit switches allow blind to stop when completely closed, preventing the blind and motor from potential damage.
- n Motor is fully enclosed in the headrail.
- n Minimum of 5" end routes necessary.
- n Installs with standard installation hardware.



**BATTERY CARTRIDGE (Batteries Included)**

- n (8) AA lithium or alkaline batteries.
- n Lithium battery life expectancy 3 - 5 years.

**REMOTE CONTROL (Batteries Included)**

- n One Channel or Five Channel available.
- n Operates an unlimited number of blinds without changing channels.
- n Can operate multiple products on one remote.



**WARRANTY**

- n 5 year Warranty.

Note: Motorization available only on 2" products.

**MOTORIZATION SURCHARGES**

RTS Heavy Duty Tilt Motor..... \$746.00  
 Remote Control..... \$400.00

**BLIND SIZE CHART**

Product Type	Max. Sq. Ft. Standard Motor	Max. Sq. Ft. Heavy Duty Motor
2" Basswood	44'	90'

- n Minimum width 18 3/4"

Note: To calculate square footage of a blind, multiply blind height (in inches) times the blind width (in inches) then divide by 144.

## CARE AND CLEANING

Like any wood furnishings, Wood Blinds should be dusted regularly to keep them looking new. Use a soft, clean cloth, chemically treated dust cloth, or dusting mitt.


Blinds may also be cleaned by vacuuming them with the brush attachment of a vacuum cleaner or by wiping them with a soft, damp rag. Stained blinds should be treated periodically with lemon oil or other wood preservative to protect their finish.

## CHILD SAFETY

Be aware that it is possible for children to become entangled in window covering cords. To reduce the risk of accidents, all cords must be kept out of the reach of children. Cord cleats are an effective way to implement this essential precaution.

Mount the cord cleat at a safe height, taking into account furniture or other objects upon which a child may climb. Then, after each use of the blind, simply wrap the excess cord around the cleat.

Cord cleats are included with every Wood Blind. Wood Blinds with Continuous Cord System include a Cord Tensioner that keeps the cord taut to minimize any danger.



## LIMITED LIFETIME WARRANTY

Turnils warrants that wood blinds from the Wood Collection will be free from defects in materials and workmanship for as long as the original retail purchaser owns the product, provided that the products were properly installed in residential dwellings, the products were made or assembled exclusively from our materials and components, and our recommendations were followed with regard to limitations and specifications.

Some slight warpage, as well as natural variations in color and grain effect are normal with a wood product and are not considered defects. In addition some fading and/or discoloration of the finish may occur over time. This is common with man-made coatings and is not considered a defect.

The obligation of Turnils and its licensed fabricators and distributors is limited to repair or replace the blinds or components found to be defective and excludes shipping charges and labor costs for measuring and installation. Repairs will be made with like or similar parts.

This warranty does not apply to conditions caused by normal wear and tear upon the product.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIABILITIES OR WARRANTIES. In no event shall Turnils or its licensed fabricators or distributors be liable or responsible for INCIDENTAL OR CONSEQUENTIAL DAMAGES or for any other direct or indirect damage, loss, cost, expense or fee.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion or limitation may not apply to you.



# 2" HORIZONTAL BLIND ORDER FORM

DATE \_\_\_\_\_ P.O. NO. \_\_\_\_\_  
 SIDEMARK \_\_\_\_\_

CHARGE TO:

NAME
ADDRESS
CITY
STATE _____ ZIP _____

SHIP TO:

PHONE (    ) - _____

ORDER #
CUSTOMER P.O. #
PAGE _____ OF _____

**SPECIAL INSTRUCTIONS:**


LINE	QTY	IB/ OB/Side	WIDTH	LENGTH	CONTROL		Wand? Yor N	FABRIC INFORMATION		Hold- downs	OPTIONS, IF ANY
					Tilt	Lift		COLOR NAME	COLOR #		
1											
2											
3											
4											
5											
6											
7											

<b>PLEASE FAX ORDERS TO OXFORD HOUSE CUSTOMER SERVICE AT 1-765-884-3274</b>	<b>ORDERED BY</b>
---	-------------------

For orders placed by phone, dealers will assume all responsibility.  
 Custom orders cannot be canceled once they are in production.